



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
13" (330mm) Diameter											
133-1RB			3	PLAIN-RFB	27	NCH	5 x 7.1MM DIA.	95.2	R18	CSN 450 ,SH (H99-43), CNH Sugar Cane Planter	2.30
4150			3	PLAIN-RFB	24	NCH	5 x 7.1MM DIA.	95.2	R18	CSN 450 ,SH (H99-43), CNH Sugar Cane Planter	2.30
4150S*			3	SCAL-RFB	24	NCH	5 x 7.1MM DIA.	95.2	R18	CSN 450 ,SH (H99-43), CNH Sugar Cane Planter	2.30
133-2B	4252		3	PLAIN	24	46MM DIA.	7 x 7.1MM DIA.	101.6	R40	SH (10342)	2.30
134-5B			4	PLAIN	24	52MM DIA.	5 x 7MM DIA.	96		Garnell,Gyral	3.00
14" (356mm) Diameter											
145-3B			5	PLAIN	34	NCH	6 x 7.0 MM SQ.	110		DISC WEEDER ASSY	3.50
16" (406mm) Diameter											
164-CH			4	PLAIN	35	25MM DIA.	3 x 10.3MM DIA.	112		CH	4.00
164-722SD			4	SCALLOP	38	24MM & 25.5MM SQ.				ELLIS	3.80
16002C			4	PLAIN	38	27MM & 30MM SQ.				JA,HB,MF	4.00
16006C			4	SCALLOP	38	27MM & 30MM SQ.				JA,HB,MF	3.80
17" (432mm) Diameter											
174-IH			4	PLAIN-FB	38	25MM SQ.				IH	4.50
18" (460mm) Diameter											
18011			4	MINI SC FC	41	NCH	4 X 12MM DIA.	120		New CATROS SERIES 3, 20 Notches	4.70
185-092SD	18006C		5	SCALLOP	53	27MM & 30MM SQ.				DB103,MF,NG,BNL, JA,CSN	6.50
20" (508mm) Diameter											
204-022D	20011C		4	PLAIN	67	27MM & 30MM SQ.				HB,SH,JA,BNL,NG,CSN340,GR,MF534 & 581,NH340	6.10
204-102SD	20012C		4	SCALLOP	67	27MM & 30MM SQ.				SH,JA,BNL,NG,MF	5.80
204-7SFD	20013C		4	SCALL-FB	51	27MM & 31MM SQ.				IH,MF	5.80
204-586			4	PLAIN	50	38MM DIA. (PILOT HOLE)	3 x 10.3MM SQ.CSK	152.4		HODGE HILLER	6.10
20012CW*			4	LABRADOR	51	27MM & 30MM SQ.				JA, BNL, MF, CN, SH	6.10
204-602D	20021C	Use 5mm Blank	4	PLAIN	51	39MM & 41MM SQ.				CN670, HE, BNL	6.10
205-1WB			5	LAB-FC	44	NCH	4 X 15.3 DIA / 4 X 13 DIA/SQ.	80/110		AGRISEM	7.60
20001			5	PLAIN	51	20MM DIA.	BLANK			Blank: cutting charges apply	7.60



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
20" (508mm) Diameter Cont.											
205-102SD	20018C		5	SCALLOP	51	27MM & 30MM SQ.				SH,JA,BNL,NG,MF	7.60
205-49D	20017C		5	PLAIN	57	30MM & 33MM SQ.				IH,GL90,A1-A2-A3,CSN,NH,SH	7.20
20025			5	SCALL-FB	51	62 ROUND DUAL ELONG	5 X 14MM DIA.	111.6	R64	New LELY TULIP - TRI RUBBERS / Multidisc	7.60
206-1SFB			6	SCALL-FC	52	NCH	5 X 13MM DIA.	106		HORSCH JOKER	9.75
206-2SFB			6	SCALL-FC	52	NCH	4 X 13MM DIA.	98		KWICKTILL / MASCHIO	9.75
22" (560mm) Diameter											
22160			4	SCALLOP	85	27MM & 30MM SQ.				JA	7.00
22001			5	PLAIN	62	20MM DIA.	BLANK			Blank: cutting charges apply	9.80
225-3SB	22044		5	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	R21	GZY Grumpy & Wheel Track RENEVATOR , K LINE	9.00
225-021D	22021C		5	PLAIN	70	39MM & 41MM SQ.				FORWARD,HB,SH	9.70
22028			5	SCALL-FB	60	62 ROUND DUAL ELONG	5 X 14MM DIA.	111.6	R64	LELY TULIP - TRI RUBBERS / Multidisc	9.00
22030			5	SCALL-FB	60	NCH	5 X 14MM DIA.	111.6	R64	New LELY TULIP <u>with no centre hole</u>	9.00
225-824D	22024C		5	PLAIN	70	27MM & 30MM SQ.				WESTERN	9.80
225-060SD	22300 Blank		5	SCALLOP	70	33MM & 40MM SQ.				JA,BNL,WY	9.00
225-166S	22041C		5	SCALLOP	62	30MM SQ.				HGE,SH 500/505/608,MF,NG,TW	9.00
225-166SD			5	SCALLOP	62	30MM & 33MM SQ.				HGE,SH 500/505/608,MF,NG,TW, BNL, HB,	9.00
225-171SB	22043		5	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	R21	CS (Baby Giant)	9.00
225-9SFD	22042C		5	SCALL-FB	62	27MM & 31MM SQ.				CH,IH,MF	9.00
225-11F			5	PLAIN	64	40MM DIA.				New CASE-IH 3950	9.00
225-11SF			5	SCALL-FB	64	40MM DIA.				New CASE-IH 3951	9.00
225-60WFB			5	LAB-FB	51	NCH	6 X 13.5MM	100		BEDNAR SWIFTER	9.80
225-1081SD	22040C		5	SCALLOP	70	39MM & 41MM SQ.				JA,HU,TW,WY,BNL	9.00
22026		Use Blank	5	PLAIN	60	70MM DIA.	6 X 18MM DIA.	112.8	R1	CS (Baby Giant), DOD	9.80
22300			5	SCALLOP	60	20MM DIA.	BLANK			Blank: cutting charges apply	9.00
22041CW			5	LABRADOR	55	30MM SQ.				CN, SH, HB	9.80
22050C			6	SCALL-FB	68	27MM & 30MM SQ.				IH, MF	10.80
22052C			6	SCALLOP	60	30MM SQ.				CN,SH	10.80
226-1SB	22051		6	SCALLOP	70	70MM DIA.	6 X 17.5MM DIA.	112.8	R1	CS (Baby Giant)	11.00
226-2SFB			6	SCALL-FC	68	NCH	4 X 13MM DIA.	98		KWICKTILL / MASCHIO	11.00
226-3SB	22055		6	SCALLOP	70	70MM DIA.	4 X 18MM DIA.	137	R21	GZY Grumpy & Wheel Track RENEVATOR , K LINE	10.80
226-3WB	22044W		6	FLUTED	70	70MM DIA.	4 X 18MM DIA.	137	R21	GZY Grumpy & Wheel Track RENEVATOR , K LINE	11.30



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
22" (560mm) Diameter Cont.											
226-992S	22053C		6	SCALLOP	70	41.5MM SQ.				GS,CW,TRIPLE DISC HILLER	10.80
22906			6	SCALLOP	60	20MM DIA.	BLANK			Blank: cutting charges apply	10.80
23" (584mm) Diameter											
235-1SFB			5	SCALL-FC	53	NCH	4 X 13MM DIA.	110		New POTTINGER TERRA	9.70
24" (610mm) Diameter											
245-226S	24072C		5	SCALLOP	67	30MM SQ.				NG,SH,HGE	10.80
245-237SD	24094C/95C		5	SCALLOP	68	40MM & 41.5MM SQ.				NG 032,JA,DB	10.80
245-241	24084		5	PLAIN	100	33MM SQ.				CA,CH	11.60
245-288SD	24092C		5	SCALLOP	75	30MM & 33MM SQ.				NG,SH	10.80
245-2RB	24088		5	PLAIN-RFB	80	DOME	6 X 13.5MM SQ. C/LEAF	204	R2	CS(Series 1 to 3)	11.60
245-395	24083		5	PLAIN	84	27MM DIA.	4 X 11.9MM SQ. CSK	165.2	R4	MF 63/67/63-5	11.60
245-477S	24093		5	SCALLOP	84	70MM DIA.	6 X 17.5 MM DIA.	112.8	R1	CS (Baby Giant)	10.80
24081			5	PLAIN	80	26MM DIA.	4 X 13.5MM DIA. SQ EMB	181	R6	IH (1-6)	11.60
245-538	24080		5	PLAIN	89	27MM DIA.	6 X 12.7MM DIA. CSK	165.2	R5	SH (5 GP)	11.60
245-581	24086		5	PLAIN	84	N.C.H.	3 X 17MM SQ. C/LEAF	184	R3	CS (Series 4, 3 Bolt-Hole)	11.60
245-608	24085C		5	PLAIN	75	40MM SQ.				SH (Sov), IH (Unibeam), HB	11.60
24001			5	PLAIN	80	20MM DIA.	BLANK			Blank: cutting charges apply	11.60
24300			5	SCALLOP	80	20MM DIA.	BLANK			Blank: cutting charges apply	10.80
24082C			5	PLAIN	80	30MM SQ.				SH, CN, IH, HB	11.60
246-10SD	24102		6	SCALLOP	80	54MM & 60MM SQ.				IH(3-5),SH500	13.50
24102W*		Use Blank	6	LABRADOR	70	54MM & 60MM SQ.				IH(3-5),SH500	14.70
246-1SB	24103		6	SCALLOP	85	70MM DIA.	6 X 17.5MM DIA.	112.8	R1	CS (Baby Giant)	13.50
24109			6	SCALL-FB	70	39MM SQ.				IHC596	13.50
24109WF*		Use Blank	6	LAB-FB	70	39MM SQ.				IHC596	13.50
246-226SD	24074C		6	SCALLOP	67	30MM & 33MM SQ.				CSN,FORD,NG,MF,TW,BH, SH, HODGE	13.50
246-2SB	24104	Use Blank	6	SCALLOP	80	78MM DIA.	6 X 22MM DIA.	190	R8	CS, LITTLE GIANT, BNL, ENNOR	13.50
246-3SB	24099S		6	SCALLOP	75	70MM DIA.	4 X 18MM DIA.	137	R21	GZY Grumpy & Wheel Track Renevator , K LINE	13.50
246-3WB	24099W		6	FLUTED	75	70MM DIA.	4 X 18MM DIA.	137	R21	GZY Grumpy & Wheel Track Renevator , K LINE	14.70
246-26SB	24107		6	SCALLOP	75	100MM DIA.	6 X 22.2MM DIA.	185	R7	GZY "S" SERIES	13.50
246-38SD	24101C		6	SCALLOP	75	40MM & 42MM SQ.				BNL, GR, ALFM	13.50
24101CW			6	LABRADOR	70	39MM & 41MM SQ.				IH, SH, CN, GR, JA, BNL, HUTCHMASTER	14.70



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
24" (610mm) Diameter Cont.											
246-41			6	PLAIN	74	46MM DIA.				MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	14.70
246-41S	24106		6	SCALLOP	75	46MM DIA.				MIL,KEL,KRS,SH(Sunflower),DELMAD,BALDAN	13.50
246-43SD	24100C		6	SCALLOP	75	30MM & 33MM SQ.				SH,BH,CH	13.50
246-47SFB			6	SCALLOP	70	NCH FC	4 X 12MM DIA	120		SUITS HIGH SPEED HARROW ARM	
246-241			6	PLAIN	89	33MM SQ.				CH	14.70
246-562SD	24105C		6	SCALLOP	68	40MM & 41.5MM SQ.				JA,TW,NG 670, MF 700, Allis	14.30
246-548SD	24100C		6	SCALLOP	90	30MM & 33MM SQ.				SH606, SH505	13.50
24107W			6	LABRADOR	70	100MM DIA.	6 X 22.2MM DIA.	185		GZY "S" SERIES	14.70
24100CW			6	LABRADOR	70	30MM SQ.			R7	SH, CN, BNL, HE	14.70
246-1077D	24091C		6	PLAIN	75	30MM & 33MM SQ.				HB, CSN, JD, SH, BH	14.70
24400			6	SCALLOP	80	20MM DIA.	BLANK			Blank: cutting charges apply	13.50
24112			6	SCALLOP	80	33MM SQ. & 39MM DIA.				UNIBEAM, JD331	13.50
246-1SFB			6	SCALL-FC	66	NCH	6 X 12.7MM DIA.	125		HORSCH JOKER HD	13.50
246-2FB			6	PLAIN-FC	67	NCH	4 X 13.5MM DIA.	133		DEGELMAN	14.70
246-2SFB			6	SCALL-FC	67	NCH	4 X 13.5MM DIA.	133		DEGELMAN	13.50
246-8SFB			6	SCALL-FC	61	61MM DIA.	5 X 14MM DIA.	113		SIMBA	13.50
24806			6	LABRADOR	70	20MM DIA.	BLANK			Blank: cutting charges apply	14.70
26" (660mm) Diameter											
26117			5	PLAIN	100	28.5MM DIA.	5 X 12MM SQ. CSK	210	R16	MF564,569 & 65	14.20
26118			5	PLAIN	88	32MM SQ.	4 X 13.5MM SQ. CSK	230	R12	HODGE, CN, 570, IH, BNL	14.20
265-415SD			5	SCALLOP	68	30MM & 33MM SQ.				TW,NG 690	13.50
265-476SD*	26121*	Use Blank	5	PLAIN	100	39MM & 41MM SQ.				IH, SH, JA, CSN570, GR, SOVEREIGN	14.20
265-589	26122		5	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	R5	SH (5GP)	14.20
265-603	26119		5	PLAIN	88	33MM SQ.				CA,CH	14.20
26001			5	PLAIN	88	20MM DIA.	BLANK			Blank: cutting charges apply	14.20
26002			6	PLAIN	80	25MM DIA.	BLANK			Blank: cutting charges apply	17.00
266-138S			6	PLAIN	68	130MM DIA.,	4 X 13 MM SQ. CSK (INSIDE)	228		BNL TRASH INC.	16.00
266-16SD	26143C		6	SCALLOP	88	54MM & 60MM SQ.				IH (3-5), SH (700)	16.00
266-1B	26125	Use Blank	6	PLAIN	88	78MM DIA.	6 X 22.2MM DIA.	190.6	R8	CS (Little Giant), BNL, ENNOR	17.00
266-1SB	26140		6	SCALLOP	87	78MM DIA.	6 X 22.2MM DIA.	190.6	R8	CS (Little Giant), BNL, ENNOR	16.00
26140W		Use Blank	6	LABRADOR	90	78MM DIA.	6 X 22.2MM DIA.	190.6	R8	CS (Little Giant), BNL, ENNOR	17.00



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
 Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
26" (660mm) Diameter Cont.											
266-3SB	26137		6	SCALLOP	88	70MM DIA.	4 X 18MM DIA.	137	R21	GZY (Grumpy)	16.00
26137W		Use Blank	6	LABRADOR	90	70MM DIA.	4 X 18MM DIA.	137	R21	GZY (Grumpy)	16.00
266-4WFB			6	LAB-FC	77	NCH	4 X 13.5MM DIA.	133		DEGELMAN	16.00
266-6SB*			6	FILLER	89	100MM DIA.	6 X 22.2MM DIA.	185		GZY	15.00
266-20SB			6	SCALLOP	68	28.5MM DIA.	4 X 13.5MM SQ. CSK	230		HODGE	16.00
266-26SB	26139S		6	SCALLOP	89	100MM DIA.	6 X 22.2MM DIA.	185	R8	GZY	16.00
26139W			6	LABRADOR	90	100MM DIA.	6 X 22.2MM DIA.	185	R7	GZY	16.00
266-27SB			6	SCALLOP	60	25MM DIA.	4 X 18MM DIA.	230		MSW	16.00
26144			6	SCALLOP	88	70MM DIA.	6 X 18MM DIA.	113	R1	CS (Baby Giant), DOD	16.00
26144W		Use Blank	6	LABRADOR	90	70MM DIA.	6 X 18MM DIA.	113		CS (Baby Giant), DOD	17.00
266-49SD	26141C		6	SCALLOP	88	39MM & 41MM SQ.				JA, GR, CN,NG,HU,SH, KUHN DISCOVER XM2	16.00
26146			6	SCALLOP	88	46MM DIA.				MILLER, DELMADE, SH, BALDAN	16.00
266-563	26126C	Use Blank	6	PLAIN	88	39MM & 41MM SQ.				CSN, 563, 604, JA, TW	17.00
266-589	26164		6	PLAIN	88	27MM DIA.	6 X 12.7MM DIA.CSK	165.2	R5	SH (5GP)	17.00
26142C			6	SCALLOP	79	42MM SQ.				JA, GR, NG	16.00
266-5SD			6	SCALLOP	68	40MM & 42MM SQ.				TW, JA (Alt to S49)	16.00
266-9SD	26160C		6	SCALLOP	68	30MM & 33MM SQ.				TW,HE,JA,FORD690	16.00
26160CW			6	LABRADOR	90	30MM & 33MM SQ.				TW,HE,JA,FORD690, JD, EN	17.00
266-603D	26124C		6	PLAIN	88	30MM & 33MM SQ.				BH,TW,CSN,CH	17.00
266-1SF	26161		6	SCALL-FB	80	39MM SQ.				IH 770, IH596	16.00
26147			6	SCALLOP	100	39MM & 41MM SQ.				KUHN DISCOVER XS, XM, XL	16.00
26400			6	SCALLOP	88	Blank with pilot hole	BLANK			Blank: cutting charges apply	16.00
26806			6	LABRADOR	90	Blank with pilot hole	BLANK			Blank: cutting charges apply	17.00
26141CW			6	LABRADOR	90	39MM & 41MM SQ.				JA, GR, CN,NG,HU,SH, KUHN DISCOVER XM2	17.00
26143CW			6	LABRADOR	90	54MM & 60MM SQ.				IH (3-5), SH (700)	17.00
26150C		Use Blank	8	SCALLOP	88	54MM & 60MM SQ.				IH (3-5), SH (700)	19.80
26150CW		Use Blank	8	LABRADOR	90	54MM & 60MM SQ.				IH (3-5), SH (700)	20.80
26153			8	SCALLOP	87	78MM DIA.	6 X22.5MM DIA.	190	R8	CSN,BONEL, ENNOR	19.80
26153W			8	LABRADOR	90	78MM DIA.	6 X22.5MM DIA.	190	R8	CSN,BONEL, ENNOR	20.80
268-2SB	26151		8	SCALLOP	88	100MM DIA.	6 X22.5MM DIA.	185	R7	GZY, BELMAC	19.80
268-2WB	26151W		8	LABRADOR	90	100MM DIA.	6 X22.5MM DIA.	185	R7	GZY, BELMAC	20.80
268-49SD	26154C		8	SCALLOP	88	39MM & 41MM SQ.				CSN,GR,FORD,GR,HE,BNL,AL	19.80



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
26" (660mm) Diameter Cont.											
26154CW			8	LABRADOR	90	39MM & 41MM SQ.				CSN,GR,FORD,GR,HE,BNL,AL	20.80
26152W		Use Blank	8	LABRADOR	90	52MM DIA.				EZN,STG,CW	20.80
26155			8	SCALLOP	100	58MM DIA.				KEL	19.80
26155W		Use Blank	8	LABRADOR	90	58MM DIA.				KEL	20.80
26167W		Use Blank	8	LABRADOR	90	43MM DIA.				TATU OFFSET	20.80
26162			8	SCALL-FB	80	39MM SQ.				IH 770, IH596	19.80
26162WF*			8	LABRADOR	80	39MM SQ.				IH 770, IH596	20.70
26163*			8	SCALLOP	88	46MM DIA.				MILLER, DELMADE, SH, BALDAN	19.80
26163W		Use Blank	8	LABRADOR	90	46MM DIA.				MILLER, DELMADE, SH, BALDAN	20.80
26167			8	SCALLOP	100	43MM DIA.				TATU OFFSET	19.80
268-7	26128		8	PLAIN	94	52MM DIA.				EZN,STG,CW	20.80
268-7S	26152		8	SCALLOP	95	52MM DIA.				EZN,STG,CW	19.80
26500			8	SCALLOP	88	25MM DIA.	BLANK			Blank: cutting charges apply	19.80
26808			8	LABRADOR	90	25MM DIA.	BLANK		New	Blank: cutting charges apply	20.80
27" (686mm) Diameter											
276-1SFB			6	SCALLOP	63	NCH	6 X 16mm	150		HORSCH TIGER	
28" (710mm) Diameter											
286-29SD	28166C		6	SCALLOP	61	39.5MM & 41.5MM SQ.				CN,SH,NG,BNL,HGE,JA,TW	19.50
286-31B	28165		6	PLAIN	111	28.5MM DIA.	4 X 13.5MM SQ. CSK	230	R12	CN,IH,BNL,HGE	21.00
286-1SF	28179-6		6	SCALL-FB	93	39MM SQ.				IH 770, IH 596	19.50
286-8SB	28168S		6	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	R8	GRIZZLY, BELMAC	19.50
286-8WB	28168W		6	LABRADOR	100	100MM DIA.	6 X 22.2MM DIA.	185	R7	GRIZZLY, BELMAC	19.50
286-293B	28163		6	PLAIN	104	28.5MM DIA.	5 X 12MM SQ. CSK	210	R16	MF	21.00
286-606SD	28167C		6	SCALLOP	93	39.5MM & 41.5MM SQ.				BNL,HGE,NG, SH, JA, NB	19.50
28167CW			6	LABRADOR	105	39.5MM & 41.5MM SQ.				CN, BNL,HGE,NG, SH, JA, NB	21.00
286-848SDB			6	SCALLOP	70	39.5MM & 41.5MM SQ.	4 X 18MM DIA.	230		BNL TRASH INC. HE, JA, SH	19.50
286-1013SB	28170		6	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190		BNL,EN	19.50
28170W	28170W	Use Blank	6	LABRADOR	104	78MM DIA.	6 X 22.2MM DIA.	190	R8	BNL,EN	21.00
286-1021S			6	SCALLOP	100	60MM SQ.				IH 3-5	19.50
28185C			6	SCALLOP	92	52MM & 58MM SQ					19.50



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
28" (710mm) Diameter Cont											
28185W	28185W	Use Blank	6	LABRADOR	105	54MM & 60MM SQ.				IH (3-5), SH (700)	19.50
28400	28400		6	SCALLOP	110	32MM DIA.	BLANK			Blank: cutting charges apply	21.00
28806	28806		6	LABRADOR	105	32MM DIA.	BLANK			Blank: cutting charges apply	21.00
288-1086SB	28171		8	SCALLOP	104	78MM DIA.	6 X 22.2MM DIA.	190	R8	BNL,EN	24.00
28171W	28171W	Use Blank	8	LABRADOR	105	78MM DIA.	6 X 22.2MM DIA.	190	R8	BNL,EN	24.00
288-1073SD	28175C		8	SCALLOP	104	39MM & 41MM SQ.				SH,CSN,HGE,BNL	24.00
28175CW	28175CW		8	LABRADOR	105	39MM & 41MM SQ.				SH,CSN,HGE,BNL	24.00
288-1SB	28169S		8	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	R7	GRIZZLY, BELMAC	24.00
288-1WB	28169W		8	LABRADOR	100	100MM DIA.	6 X 22.2MM DIA.	185	R7	GRIZZLY, BELMAC	24.00
288-1SF	28179		8	SCALL-FB	93	39MM SQ.				IH 770	24.00
28179WF	28179WF		8	LAB-FB	105	39MM SQ.				IH 770	24.00
288-17S	28178		8	SCALLOP	104	52MM DIA.				EZY, STGR, CW, MIL	24.00
28178W	28178W		8	LABRADOR	105	52MM DIA.				EZY, STGR, CW, MIL	24.00
28177	28177		8	SCALLOP	92	46MM DIA.				MILLER, DELMADE, SH, BALDAN	24.00
28177W	28177W	Use Blank	8	LABRADOR	105	46MM DIA.				MILLER, DELMADE, SH, BALDAN	24.00
28183	28183		8	SCALLOP	110	43MM DIA.				TATU OFFSET	24.00
28183W	28183W	Use Blank	8	LABRADOR	105	43MM DIA.				TATU OFFSET	24.00
28500	28500		8	SCALLOP	110	32MM DIA.	BLANK			Blank: cutting charges apply	24.00
28808	28808		8	LABRADOR	105	32MM DIA.	BLANK			Blank: cutting charges apply	24.00
2810-2SB			10	SCALLOP	104	100MM DIA.	6 X 22.2MM DIA.	185	R7	NEW!!!! GRIZZLY NEW!!!!	30.00
30" (762mm) Diameter											
306-14B	30182		6	PLAIN	116	28.5MM DIA.	4 X 13.5MM SQ. CSK.	230		BNL,CH,HGE,IH	24.20
308-241S			8	SCALLOP	108	33MM SQ.				CHAMBERLAIN (WA Stocks only)	27.63
308-2SB* use	30187S*		8	SCALLOP	105	100MM DIA.	6 X 22.2MM DIA.	185	R7	GZY	27.63
32" (810mm) Diameter											
328-1SF	32190		8	SCALL-FB	125	46MM SQ.				IH 780	32.50
328-2SB	32198		8	SCALLOP	115	100MM DIA.	6 X 22.2MM DIA.	185		GZY	32.50
328-189SB	32208		8	SCALLOP	113	78MM DIA.	6 X 22.2MM DIA.	190	R8	ENNOR	32.50
32500			8	SCALLOP	122	32MM DIA.	BLANK			Blank: cutting charges apply	32.50
32600			10	SCALLOP	122	32MM DIA.	BLANK			Blank: cutting charges apply	39.00



Agpoint Australia

Agpoint Boron Discs & Coulters.....Your Guarantee of Quality!!!
 Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)



Please Note: Prices Subject To Change Without Prior Notice

Agpoint Part Number	Similar To McCOY	R.R.P	Gauge mm	Style	Dish mm	Centre Hole	Radial Holes	P.C.D. mm	Radial Code	Application	Unit KG
32" (810mm) Diameter											
3210-10SD	32193C	Use Blank	10	SCALLOP	111	62MM DIA. & 59MM SQ.				ALFARM 080, TOWNER	39.00
3210-2SB	32199S		10	SCALLOP	110	100MM DIA.	6 X 22.2MM DIA.	185	R7	GZY	39.00
3210-201SB	32210		10	SCALLOP	122	78MM DIA.	6 X 22.2MM DIA.	190	R8	ENNOR	39.00
32195			12	SCALLOP	122	65MM SQ.				CS, GIANT	50.00
32196C			12	SCALLOP	122	62MM DIA. & 59MM SQ.				ALFARM 080, TOWNER	50.00
32700			12	SCALLOP	122	32MM DIA.		BLANK			Blank: cutting charges apply
36" (915mm) Diameter											
<i>Inside Bevel creates a stronger edge that will allow the disc to penetrate hard soil more easily. An outside bevel on a disc allows you to work faster. Notches on a disc help pulp residues.</i>											
3612-2SB	Inside Bevel		12	SCALLOP	123	100MM DIA.	6 X 22.2MM DIA.	185	R7	New GRIZZLY TINY 290 & 390	62.00
3612-208SB	36208		12	SCALLOP	137	64MM Dia.	6 X 18MM SQ CSK	254	R15	SAVANNAH	62.00
36700	Inside Bevel		12	SCALLOP	130	33MM DIA. BLANK	BLANK			BLANK	62.00
36800	Inside Bevel		15.8	SCALLOP	122	33MM DIA. BLANK	BLANK			BLANK	76.00
42" (1067mm) Diameter											
<i>Inside Bevel creates a stronger edge that will allow the disc to penetrate hard soil more easily. An outside bevel on a disc allows you to work faster. Notches on a disc help pulp residues.</i>											
4212-2SBHC			12.7	SCALLOP	191	100MM DIA.	6 X 22.2MM DIA.	185		Grizzly MADE TO ORDER	
4216-2SBHC			15.8	SCALLOP	191	100MM DIA.	6 X 22.2MM DIA.	185		Grizzly MADE TO ORDER	
*40" & 44" also available in high or low concavity											