







SCHUMACHER "EASY CUT" CUTTING SYSTEM

The Schumacher EASY-CUT Cutting System is commonly fitted as original equipment on many brands, including Claas, Deutz & HoneyBee. It was designed and built as a strong & robust cutting system capable of handling the heavy crops in Western Europe.

The Schumacher Cutting System is modular by design: adaptable to almost any header front available in Australia. The system comprises three main components: the Guards - welded, and bolted top and bottom; the wear bars or bridge rollers; and the knife back.







The knife back is carried on wearbars or bridge rollers, which may be easily and economically changed as required. This allows for extended use of the guards. Sections are bolted "one up, one down". As the knife passes the anvil of the guard, one section will pull the knife up, the next will pull the knife down, which in turn results in a more balanced knife operation, reduced load and stress on the knife drive, superior cutting performance, and a more even wear across the guards & knife.







HARVEST PRICE LIST INDEX

	Page
GUARDS - (Schumacher, Crary, MacDon & New Holland)	1&2
SECTIONS & FASTENERS	3
KNIFE KITS (Overlap, Connector & Repair)	4
KNIFE SEGMENTS (for Knife Sets) & KNIFEBACKS	5
REPLACEMENT KNIFE SETS	6
CONVERSION KITS (Schumacher Premium & Comfort)	7
WEARBARS, ROLLERS & SPACER PLATES	8
KNIFE HEADS AND COMPONENTS	9
PRO DRIVES AND COMPONENTS	10
CROPLIFTERS (Standard) & ACCESSORIES	11
PRO FLEX LIFTERS, MOUNTING KITS & INSTRUCTIONS	12-14
BOLT KITS FOR MOWER BLADES	15
MOWER BLADES	16-19
FASV CIIT (T	





KNIFE GUARDS

Part No.	Description	Midwest No.	OEM No.	HoneyBee No.	RRP \$\$ per ea	
KNIFE G	JARDS - SCHUMACHER					
Standard D	ouble Guard					
84016500 84016501 84016502	Two Finger Guard - 12mm Black - Easy Cut II System Two Finger Guard - 14mm Oxide Red - Easy Cut II System Two Finger Guard - 17mm Grey - Easy Cut II System	816-00064-06	86561686	61694		
Triple - Thr	ee Finger Guard					45
84016503 84016504	Triple Finger Guard - 12mm Black - Easy Cut II System Triple Finger Guard - 14mm Oxide Red - Easy Cut II System		86561687	62594	4	
Open Top	First / Knife-Head Guard					
84010701	Open Top First/Head Guard - 12mm Black	816-00063-06	86561684	26450		
84010702	Open Top First/Head Guard - 14mm Oxide Red					5
Open Top	Centre Guard (for twin knife systems)					
84010637 84010638	Open Top Centre Guard for Overlap 12mm Black Open Top Centre Guard for Overlap 14mm Oxide Red	816-00065-06	86564361	26751	L	

KNIFE GUARDS - "CRARY" PREMIUM

"Crary" No	Choke			2
84052597	"Crary" 7228 "No-Choke" Guard Double Hardened to 58 - 62 HRC - *GREAT VALUE*	86561624	26604	
84001546	"Crary" / "No-Choke" Centre Overlap Guard (Three required per twin drive set-up)			





84042850

KNIFE GUARDS

RRP \$\$ OEM **Alternate** Part No. **Description** Midwest No. No. No. per ea KNIFE GUARDS - JOHN DEERE, MACDON, NEW HOLLAND etc. JOHN DEERE PREMIUM - Double Hardened Long/Short/Long Guard to suit John Deere - Long Life (55-63 HRC) 84053427 H229539 H213405DH 84053565 Short/Long/Short Guard to suit John Deere - Long Life (55-63 HRC) H229540 84218703 Three finger open top "non Clog" guard to suit John Deere **SPECIAL** H218703 MACDON 84053064 MacDon Standard Guard 118484 87421451 - suits 962/1040/1042, D50, D60, FD70, FD1 WN-118344 84553391 MacDon Centre Guard - Lower 118346 84553392 MacDon End Guard - Left 118301 84553393 MacDon End Guard - Right 118302 **NEW HOLLAND** New Holland, Hesston etc. 84042849 816-00051-06 86615982 86521587 - suits Case 1010, Early MacDon 1040/1042 49239H











B 4215

42841

379720



Suits New Holland 840CD & 880CF

Suits Case 3152 & 3162

Knife Hold Down Clamp High Arch 85151270 626 749.1 **SPECIAL** Priced to Clear

New Holland *New* Double 6" Guard (New Holland latest style guard)





SECTIONS & FASTENERS

Part No.	Description	Midwest No.	OEM	HoneyBee	RRP \$\$
rait No.	Description	midwest No.	No.	No.	per ea

SECTIONS - FOR SCHUMACHER, NEW HOLLAND, HONEYBEE ETC.

83010961	Standard Coarse Section - 10 serrations per inch	816-00055-06	26208			
83010978	Extra Coarse Section - 7 serrations per inch	Coarse Section - 7 serrations per inch				
83010966	Fine Section - 14 serrations per inch					
83016222	Overlap Section - 60° Countersunk Holes	816-00052-06	62627			
83016222KIT	Overlap Section Kit with 2 x 85080012 bolts & 2 x 85013961 nuts supplied in a sealed bag					
83041752	1½ End section for HoneyBee - R/H		27159			






SECTIONS - FOR JOHN DEERE, MIDWEST, MACDON, ALLIS & GLEANER

83041826 Standard Coarse Knife Section to suit MacDon K343901	83080011 83053293	Double Knife Section - John Deere Double Knife Section - Countersunk Holes - Midwest	816-00062-06 116-40002-06	RH153329 RH153329CS
83041847 Standard Knife Section to suit Allis/Gleaner (Special orders in advance only Non-stock item)			116-40002-06	K343901
Copolar order of activities and the control of the	83041847	Standard Knife Section to suit Allis/Gleaner (Special orders in ad	Ivance only. Non-stock it	tem)







. / 10 1					
85010931	Hex Head Splined Bolt - M6 x 16mm for Schumacher Sections	908-106016-1	86563537	61711	
85010067	Hex Head Bolt - M6 x 18mm for Connector Bar		86563535	61521	
85010072	Hex Head Bolt - M6 x 28mm for Knife Head/Overlap Strap		86563536	62758	
85080012	Socket Head Bolt - M6 X 16 - 60° Countersunk for Overlap Section	904-106016-1	86564364	27811	
85013961	Hex Nut - M6	913-106000-1	353308	61713	
86013016	Hex Head Bolt - M10 x 55mm for Overlap Rollers				
85012997	Hex Head Bolt - M10 x 40mm for Guards				
85013955	M10 Flange Nut for Guards & Overlap Rollers				





KNIFE KITS

Part No. Description

Midwest No.

OEM No. HoneyBee No. RRP \$\$ per ea



OVERLAP KIT - FOR SCHUMACHER & STANDARD KNIVES

86561400 Overlap Kit for Twin Knife

86561400

68141

*Includes:- Overlap strap x 1, overlap section x 6, pan head bolt x 12, 28mm bolt x 3, M6 nut x 15

82013665 Overlap Strap Only - 376mm

CONNECTOR KIT - FOR SCHUMACHER & STANDARD KNIVES

82016831 Connector Kit - 10 holes *Easy Cut II*


*Includes:- Connector bar x 1, Standard coarse sections x 3, 18mm bolts x 10

85010937 Threaded Inserts M6 - Connector Bars

KNIFE REPAIR KIT - FOR SCHUMACHER & STANDARD KNIVES


87068142 Knife Repair Kit

*Includes:- Connector kit x 1, standard sections x 3, 16mm splined bolt x 12, M6 nut x 12



Connector Kit









87914652

KNIFE SEGMENTS - For Knife Sets

Part No. Description

Full length

RRP \$\$ per ea

SCHUMACHER SEGMENTS for Schumacher

1 section up/1 section down - nuts down

all sections up - nuts up

8' 41/2"

87014652 Left Head Segment - 32 sections assembled - 4½" (3 holes) free for connector kit
8' 4½"
87016294 Right Head Segment - 32 sections assembled - 4½" (3 holes) free for connector kit
8' 4½"

*Schumacher head segments come standard with a whole section at the knife head end.

87014653 Mid Segment - 27 sections assembled - 4½" (3 holes) free for connector kit 7' 6"

87014655 End Segment - 26 sections assembled - 4½" (3 holes) free for connector kit 6' 10½"



etc.

Left Head Segment - 32 sections assembled - 4½" (3 holes) free for connector kit

87916294 Right Head Segment - 32 sections assembled - 4½" (3 holes) free for connector kit 8' 4½"

*Standard head segments come standard with a whole section at the knife head end.

87914653 Mid Segment - 27 sections assembled - 4½" (3 holes) free for connector kit 7' 6"

87914655 End Segment - 26 sections assembled - 4½" (3 holes) free for connector kit 6' 10½"

87915410	Knifeback only - 21mm x 6mm x 3 mtr
----------	-------------------------------------

87919163 Knifeback only - John Deere Twin x 3mtr for 4" Sections - suits JD 900 Series





36'

42'

45'

Sectional Standard Knife

Sectional Standard Knife

Sectional Standard Knife

87920036

87920042

87920045

REPLACEMENT KNIFE SETS

These sectional Knife Sets can be used to replace OEM knife sets: HoneyBee, AGCO, MidWest, Case-IH, New Holland, MacDon etc.

*Head segments come standard with a whole section at the knife head end.

* Knife sets listed below <u>DO NOT</u> include guards, rollers or knife heads (refer to Conversion Kits Page 7) and need to be trimmed to length.

			•	.
Part No.	Knife Length		Description	OEM RRP \$\$ per No. ea
SCHUMACH	ER SING	LE DRIVE		1 section up/1 section down - nuts down
87010021	21'	Sectional Schumacher Knife		86561691
87010025	25'	Sectional Schumacher Knife		86561278
87010030	30'	Sectional Schumacher Knife		86561011
87010036	36'	Sectional Schumacher Knife		86561332
87010039	39'	Sectional Schumacher Knife		86564836
SCHUMACH	ER TWIN	DRIVE		1 section up/1 section down - nuts down
87020021	21'	Sectional Schumacher Knife		
87020025	25'	Sectional Schumacher Knife		
87020030	30'	Sectional Schumacher Knife		
87020036	36'	Sectional Schumacher Knife		
87020042	42'	Sectional Schumacher Knife		
87020045	45'	Sectional Schumacher Knife		
STANDARD	SINGLE I	DRIVE for Crary, NH, H/Bee etc		all sections up - nuts up
87910021	21'	Sectional Standard Knife		
87910025	25'	Sectional Standard Knife		
87910030	30'	Sectional Standard Knife		
87910036	36'	Sectional Standard Knife		
87910039	39'	Sectional Standard Knife		
STANDARD	TWIN DR	RIVE for Crary, NH, H/Bee etc		all sections up - nuts up
87920025	25'	Sectional Standard Knife		
87920030	30'	Sectional Standard Knife		



STANDARD

SCHUMACHER



SCHUMACHER CONVERSION KITS

These Schumacher Conversion Kits may be used to replace some original cutting systems - eg Honeybee, MacDon etc.

The **PREMIUM** kit comes with both top and bottom rollers, while the **COMFORT** kit only has top rollers. The Comfort system can be converted to a Premium system later The 12mm Conversion Kit includes a replacement knife (See Page 6), all guards, wearbars/spacer plates, rollers, knife head/s (only HoneyBee) and fasteners The 14mm Conversion Kit also includes the above, EXCEPT it does not include the knife head/s.

The replacement knife will need to be trimmed to size. Other size Conversion Kits are also available - POA

Part No.	Knife Length	Description	Premium RRP per ea \$	Comfort RRP per ea \$	
SCHUMACHE	R SINGLE	DRIVE WITH 12mm GUARDS			
87011221	21'	Schumacher Conversion Kit with knife - Single Drive - 12mm Guards			1000
87011225	25'	Schumacher Conversion Kit with knife - Single Drive - 12mm Guards			-
87011230	30'	Schumacher Conversion Kit with knife - Single Drive - 12mm Guards			@ ec
87011236	36'	Schumacher Conversion Kit with knife - Single Drive - 12mm Guards			里
87011239	39'	Schumacher Conversion Kit with knife - Single Drive - 12mm Guards			IACI
SCHUMACHE	R TWIN D	RIVE WITH 12mm GUARDS			SCHUMACHER
87021221	21'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			SCF.
87021225	25'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			S
87021230	30'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			6
87021236	36'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			
87021239	39'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			
87021240	40'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			
87021242	42'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			
87021245	45'	Schumacher Conversion Kit with knife - Twin Drive - 12mm Guards			ALC: NO.
SCHUMACHE	R SINGLE	DRIVE WITH 14mm GUARDS - <u>Does not include knife head</u>			
87011425	25'	Schumacher Conversion Kit with knife - Single Drive - 14mm Guards			
87011430	30'	Schumacher Conversion Kit with knife - Single Drive - 14mm Guards			
87011435	36'	Schumacher Conversion Kit with knife - Single Drive - 14mm Guards			
SCHUMACHE	R TWIN D	RIVE WITH 14mm GUARDS - <u>Does not include knife heads</u>			
87021425	25'	Schumacher Conversion Kit with knife - Twin Drive - 14mm Guards			
87021430	30'	Schumacher Conversion Kit with knife - Twin Drive - 14mm Guards			
87021435	36'	Schumacher Conversion Kit with knife - Twin Drive - 14mm Guards			
87021440	40'	Schumacher Conversion Kit with knife - Twin Drive - 14mm Guards			
87021445	45'	Schumacher Conversion Kit with knife - Twin Drive - 14mm Guards			



When ordering, stipulate if you want the Premium or Comfort system



WEARBARS, ROLLERS & SPACER PLATES

Part No.	Description	Length	Colour	OEM No.	HoneyBee No.	RRP \$\$ per ea	
WEARBA	ARS						
82010725	4 Hole Wearbar - 4mm thick	300mm	Grey		Priced to Clear		
82010727	4 Hole Wearbar - 6mm thick	300mm	Black	86591628	61528		
82010741	4 Hole Wearbar - 4mm thick Easy Cut II	256mm	Grey		Priced to Clear		2 200
82010742	4 Hole Wearbar - 5mm thick Easy Cut II	256mm	Blue		Priced to Clear		43
82010743	4 Hole Wearbar - 6mm thick Easy Cut II	256mm	Black		Priced to Clear		
82017956	4 Hole Wearbar - 7mm thick Easy Cut II	256mm	Black				
ROLLER	S					1	
82016330	Bridge Roller Unit - Top - New Style 19035			19035			912
82015768	Bridge Roller Unit - Bottom - New Style 19036			19036	27695		
82016004	Bridge Roller Unit - Overlap (used on twin systems)				27744		and the
82010662	Spacer - 14mm (for overlap rollers)				27752		
SPACER	PLATES						
82015812	6 Hole Spacer Plate - 4mm thick		Grey		Priced to Clear		
82015815	6 Hole Spacer Plate - 5mm thick		Blue		**Special**		
82015816	2 Hole Spacer Plate - 6mm thick		Black		**Special**		180
82016494	4 Hole Spacer Plate - 6mm thick		Black				4 4 4
82015818	6 Hole Spacer Plate - 6mm thick		Black				
82017472	6 Hole Spacer Plate - 7mm thick		Black				
							I



KNIFE HEADS & COMPONENTS

Part No.	Description	Midwest No.	OEM No.	No.	ea
KNIFE H 82014226 82014227	EADS HoneyBee Left - to suit Schumacher knife HoneyBee Right - to suit Schumacher knife		86561690 86561826	67889 68790	
82077605 82077606	HoneyBee Right - to suit "Crary/Standard" knife HoneyBee Left - to suit "Crary/Standard" knife				
82015000 82015010	Midwest Left - to suit Schumacher knife Midwest Right - to suit Schumacher knife				
82314066 82316653	MacDon 2042 & 2052 Left - MacDon Wobble Box to Schumacher knife MacDon 2042 & 2052 Left - MacDon Wobble Box to MacDon knife			**Special**	



KNIFE HEAD COMPONENTS

82012543 Knife Head Nylon Insert 816-00057-06 86563534 25297

82011233 Knife Head Eye Ring - *weld on type.* 816-00056-06

85010941 Knife Head Serrated Inserts

82011238 Left Hand Full Section Knife Head Bar (1pair)







SCHUMACHER PRO DRIVES & COMPONENTS

Part No. Description

Midwest No.

New Holland No. HoneyBee No. RRP \$\$ per ea

PRO DRIVES - VERTICAL KNIFE DRIVE

87012509MW Belt Driven Pro Drive, 85mm stroke - Midwest

816-00049-06

*No Pulley - Non-Modular Type

87015157 Belt Driven Modular Pro Drive used on John Deere 900 series draper fronts - same as 87014869JD

*with pulley fitted and 27mm block & bearing supplied.

87014869 Belt Driven Modular Pro Drive suits New Holland, HoneyBee etc (17mm Block)

88012802 Pulley 240mm diameter

JD21086 *New* Suits John Deere Vertical Pro-Drive to suit 600 & 700 Series Draper Fronts

Refer DE21086

New









PRO DRIVES - HORIZONTAL KNIFE DRIVE

87015744 Horizontal Hydraulic Driven Pro Drive, 85mm stroke

* with Hydraulic Adapter Boss (31.75mm diameter keyway) Suits following fronts. 92C & 94C, SP30, SP36, DHX 1&2 Series 87018595 26393



PRO DRIVE COMPONENTS

87015168 87015928	Crankshaft half kit 27mm Crankshaft half kit 17mm			
82002603 82002601 82012767	17mm Knife Head Block & Bearing Assy (Knife Head Connector) 27mm Knife Head Block & Bearing Assy (Knife Head Connector) 27mm Knife Head Block & Bearing Assy longer type (Knife Head Connector)* *use with JD 900 series fronts - serial number 710100 and less.	816-00048-06	86564390	26246
82010259	Knife Head Bearing including Top Plate (Connector Bearing)	884-05225-01	86565872	26258
82012543	Knife Head Nylon Insert	816-00057-06	86563534	25297
88012563	Hydraulic Adapter Boss (31.75mm diameter keyway)			








SCHUMACHER CROPLIFTERS

The Schumacher croplifter is available to suit most finger guards used in Australian harvesting operations.
They are quick and easy to fit, increasing machine and operator efficiency at the peak of harvest.

Height and/or angle adjustment is achieved quickly and easily by repositioning the spring clip to one of the three operating positions. (pictured below)





Choosing a croplifter to fit your guard

For the best fitting of the croplifter just follow these two simple steps.

- 1. Measure the guard length from centre of the bolt hole to the tip of the point. (shown above)
 - 2. Select the croplifter which best matches the guard length and choose the croplifter from the list below.

Part No.

Description

RRP \$\$ per ea



SCHUMACHER CROPLIFTERS

Standard Croplifter

86016445 ASL100

86016587 ASL120

86016588 ASL121

86016589 ASL127



Accessories

86010237 Spring Clip

KM-3 Spool & Bolt Kit

86010248



All crop lifters must be checked once fitted for correct alignment prior to use.

CROPLIFTER FIT GUIDE


GUARD	APPROX GUARD LENGTH	CROP LIFTERS
JOHN DEERE	N	ote! ASL code replaces ASK code
H145791	135	ASK 100 / ASK120
H153719	135	ASK 100 / ASK120
H206177	155	ASK120 / ASK121
CASE IH		
633098R1	140	ASK 100
1307299C2	150	ASK121 / ASK 127
44104500	150	ASK121 / ASK 127
1326787C3	150	ASK121 / ASK 127
84442877	150	ASK121 / ASK 127
SCHUMACHER		
84010616	145	ASK100 / ASK121
"CRARY"		
84007228	150	ASK127

GUARD	APPROX GUARD LENGTH	CROP LIFTERS
NEW HOLLAND	Note! ASL co	ode replaces ASK code
86521587	165	ASK 127
379720	160	ASK 127
215-RS	160	ASK 127
86615982	160	ASK 127
MACDON		
118344	150	ASK 120 / ASK127
CLAAS		
676235.3	160	ASK 127
PRIMARY SALES		
QUAD GUARD	150	ASK100 / ASK 120
Disclaimer	This chart is	s for standard operating systems.
1		ked once fitted for correct alignment

Disclaimer : This chart is for standard operating systems.

All crop lifters must be checked once fitted for correct alignmen

prior to use.











SCHUMACHER PRO FLEX PULSE CROP LIFTERS



FOR FLEX FRONTS ONLY



This NEW crop lifter from Schumacher is designed for all pulse crops.

The fully adjustable lifter fits most guards. The replacement finger
means you no longer need to replace the entire crop lifter.







With the specially designed slot, the PRO FLEX lifter can fit perfectly on most types of guards. That's why the Schumacher pulse lifter guarantees a tight fit. Suitable for those hard to fit fronts eg MacDon D60, 2152

Ideal for all pulse crops



Part No.	Pro Flex Croplifter	RRP \$\$ per ea
86017646	PRO FLEX Pulse Crop lifter, including spacer & finger	
86017937	PRO FLEX Replacement Finger	
Part No.	Pro Flex Mounting Kits	RRP \$\$ per pack*
	TO SUIT -	
86080178	Guards & Skids <u>with</u> square hole. eg Crary,Schumacher,NH	
86080179	Guards & Skids <u>with</u> round hole. eg. JD LSL/SLS	
86080180	MacDon with skids & headers with plow bolts	
*Note - 4	each pack contains 10 Mour	nting Kits












SCHUMACHER PRO FLEX MOUNTING KITS


#86080178 - FOR GUARDS & SKIDS WITH SQUARE HOLES



* The 13mm spacers are supplied with the Pro Flex Croplifters

On some applications you may have to add flat washers to achieve an even height - see mounting instructions.

86080180 - FOR MACDON HEADER WITH SKID SHOES



On some applications you may have to add flat washers to achieve an even height - see mounting instructions.

#86080179 - FOR GUARDS & SKIDS WITHOUT SQUARE HOLES



* The 13mm spacers are supplied with the Pro Flex Croplifters

On some applications you may have to add flat washers to achieve an even heightsee mounting instructions.

86080180 - FOR HEADER WITH PLOW BOLTS (Do not need square hole washer)



* The 13mm spacers are supplied with the *Pro Flex* Croplifters

On some applications you may have to add flat washers to achieve an even height - see mounting instructions.

NOTE - PRO FLEX MOUNTING KITS ARE SUPPLIED IN PACKS OF 10 ie 1 PACK CONTAINS 10 MOUNTING KITS







PRO FLEX CROPLIFTER MOUNTING INSTRUCTIONS

PRO FLEX LIFTERS ARE ONLY SUITABLE FOR FLEX FRONTS

INFORMATION

Due to diverse header types, different mounting kits are available. Refer to the Mounting Kits page for the correct kit, or for more information, go to:

www.agpoint.com.au

www.schumacher-original.com



STEP 3

Push lifter all the way in, tighten nuts to 45Nm (33ft/lb)



STEP 1 Remove bolts



Remove existing bolts. It is recommended that you mount one *Pro Flex* croplifter on every 4th guard tip (every second guard)

STEP 4

To change the angle, undo nuts on both sides

Undo left <u>and</u> right side nuts

15-20mm



the lifter strap lined-up (parallel) with the cutting

STEP 2

Mount croplifter

gap on the guard

Mount the croplifter with the 13mm spacer. Keep


You may need to add flat washers on some guards

STEP 5

To change length, undo one nut only

Undo either left <u>or</u> right nut

15-20mm





General mounting instructions for Pro Flex croplifter, dependant on guard and Mounting Kit

Mount croplifters (usually every 4th guard tip or every 2nd guard) and lower the header front to working position. Adjust the croplifters to get a <u>15-20mm clearance</u> with the ground (approx width of a thumb) as shown below.

















MOWER BLADE CONFIGURATION CHART



Rasspe Mower Blades are made in Solingen, Germany. Solingen is renowned as the capital of knife and blade manufacture; many consider that the world's best blades come from Solingen. Rasspe has over 170 years of manufacturing experience and today supplies blades for mowers, straw choppers, fodder mixers and Twine Knotters for late model Balers to the major O.E.M.s of Europe.

Rasspe is proud to be part of the Schumacher Group.



Issue Date 1st June 2023, Replaces all previous updates - prices are EXCLUSIVE of GST

BOLT KITS FOR MOWERS & MOWER CONDITIONERS











Part	BOSS	BOSS			To Suit	OEM	Bare		Bulk	orice
No.	Dia.	Height	Flats	Thread		NUMBERS	Co.	RRP \$	1-7 Boxes	8 Boxes
51027	16mm	6.5mm	10.00mm	M10	U.F.O.	43A / 42A	B7903			
42121	18mm	10.00mm	12.00mm	M12	N. H. / KUHN	697552 / 56115800KF	B7336			
					J.D.	CC19989 + DC19765	07330			
42095	18mm	8.5mm	N/A ****	M10	VICON - EFI	81160K	B5411			
	Off	Centre/Ecce	ntric Thread	ł						
42129	18mm	6.5mm	12.00mm	M12	KRONE	143229.0 /1377-26-6-K	B5413			
42112	20mm	5.0mm	12.00mm	M12	TAARUP KUHN	56403000KF / 561501800KF	B5381			
					UFO 3310		10560			

	JOHN DEERE														
Blade	Blade Part DIMENSIONS (MM)			Bare	OEM		RF	₹ <i>P</i> \$							
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP \$	1-7 Box	8+Boxes			
9	41926	Left	16.25	95	45	4	1320, 1326, 1327, 240, 260	B5392	CC20500						
									CC44007						
9	41928	Right	16.25	95	45	4		B5393	CC20501 CC44006						
	40000		100	407	4.5		910, 915, 916, 920, 925, 926, 930,	D7055	CC26780						
9	42022	Left	18.2	107	45	4	935, 936, 945, 946, 955, 956, 990,	B7055	E80206						
						1	994, 995, 1350, 1360, 1460, 1470,								
9	42026	Right	18.2	107	45	4	(265 & 275 with serial Number	B7056	CC26781						
							breaks)		E80208						
6	42072	Flat	18.2	130	50	4			CC19993						
U	.2372	. 744	10.2	130	30	'			CC19996						

	CLAAS / DEUTZ - FAHR / KRONE / ZETOR / PZ													
Blade	Part	DIMENSIONS (MM)						Bare	OEM		RI	₹ <i>P</i> \$		
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP\$	1-7 Box	8+Boxes		
9	41973	Left	19	112	48	4		B5384	952 043 0 1398880					
9	41974	Right	19	112	48	4	Claas & Krone	B5383	952 042 0 1398890					
1	41874	Flat	19	90	40	3	Deutz-Fahr KM20/22, Krone, PZ MT52S	B145	977.516. 06561543 1431490 0982.15.01. 00 3202.01.03. 46 MT52S					
1	41895	Flat	21	108	46	3		B5414	105.873.0 1058.878.0					

	CASE / HESSTON / MASSEY / NEW IDEA														
Blade	Part		DIMENSIONS (MM)					Bare	OEM		RRP \$				
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP\$	1-7 Box	8+Boxes			
9	42022	Left	18.2	107	45	4		B7055	700712889						
9	42026	Right	18.2	107	45	4	725, 8309, 83142, 8315, NI5070, NI5512,	B7056	700712888						
10	42006	Left	18.5	107	47	4	8850, DC515, HST 8500		700711858 700713983						
10	42007	Right	18.5	107	47	4			700711857 700713984						
10	42064	Left	18.5	120	48	4	3204, 3250, 3206, 3309	B4137	ZA526216						
10	42066	Right	18.5	120	48	4	(With Standard Disc)	B4138	ZA526215						
10	42055	Left	23	110	50	4	MDX71, MDX81, MDX91, DCX101,		9847684						
10	42056	Right	23	110	50	4	CX131, DCX161, RDX161		9847683						
1	41874	Flat	19	90	40	3	Deutz-Fahr KM20/22, Krone, PZ MT52S	B145	1133937R1 3101549R1	_					

	TAARUP													
Blade	Part		DI	MENSION	IS (MM)			Bare	OEM		RF	RP\$		
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP\$	1-7 Box	8+Boxes		
10	41992	Left	20.5 x 23	126	48	4	* Oblong Hole 20.5 x 23mm	B5388	56.110.900					
10	41990	Right	20.5 x 24	126	48	4		B5387	56.110.400					
6	42074	Flat	20.5 x 22.8	128	50	4	* Oblong Hole 20.5 x 22.8mm	B5403	56.110.300					

Blade	Part		DI	MENSION	S (MM)			Bare	OEM		RF	RP\$
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP\$	1-7 Box	8+Boxes
9	41926	Left	16.25	95	45	4	442, 452, 462, GMD44, GMD55,	B5392	NH 766726 KUHN 56151210			
9	41928	Right	16.25	95	45	4	GMD66, GMD67 (Standard Disc Models only)	B5393	NH 766727 KUHN 56151310			
10	42055	Left	22.7	110	50	4	615 - 617, 1409 - 1412, 1431, 1432,	B4177	9847684			
10	42056	Right	22.7	110	50	4	1441, 1442, 2331, 2332, 2355, DCX101, DCX131, DCX161, RDX161	B4178	9847683			
9	42022	Left	18.2	107	45	4		B7055	NH 853820 KUHN 55903210			
9	42026	Right	18.2	107	45	4	408, 412, 415, 411(s/n 711816 on), GMD400, GMD500, GMD600, GMD700, GMD800, FC250, FC300, FC350	B7056	NH 853819 KUHN 55903310			
1	41895	Flat	21	108	46	3	New Holland	B5414	108D			
6	42074	Flat	*	128	50	4	* Oblong Hole 20.5 x 23mm	B5403	56110300			
6	51300	Flat	*	113	50	4	* Oblong Hole 20.5 x 18.5mm		56451600 56840000			
							POTTINGER					
Blade	Part		DI	MENSION	S (MM)			Bare	OEM		RF	RP\$
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP \$	1-7 Box	8+Boxes
10	41962	Left	21	100	48	4			NR434973			
10	41963	Right	21	100	48	4			NR434974			

	UFO / LELY / VICON / JF														
Blade	Part		DI	MENSION	S (MM)			Bare	OEM		RRP \$				
Style	No.		Hole Diam.	Length	Width	Th	COMMON MODELS	No.	Number	RRP\$	1-7 Box	8+Boxes			
1	42062	Flat	17	102	45	4	H/Duty UFO Twin Drum Maxam, Trimax	B7902	UFO 141						
10	42064	Left	18.5	120	48	4	E.F.I. Mower, Vicon CM135/165/167/205/240/247, AM2400,	B4137	90258699						
10	42066	Right	18.5	120	48	4	GMT2400, GMR2400, AM3200,	B4138	90258700						
10	42006	Left	18.5	107	47	4	AM2800, CM216, CM217, CM2200,	B6137	90261559						
10	42007	Right	18.5	107	47	4	KM281(late models), DMP2800	B6138	90261560						
10	41962	Left	21	100	48	4	UFO 3310		NR331L						
10	41963	Right	21	100	48	4	UFO 3310		NR331R						
6	42072	Flat	18.2	130	50	4									

OLD NO.		NEW NO.	OLD NO.		NEW NO.
703509	-	42062	705501	-	41926
703591	-	51027	706501	-	42074
704107	-	42006	706601	-	41992
704801	-	42064	706701	-	41990
704901	-	42066	706801	-	42072
705107	-	42007	705601	-	41928
705401	-	41874	709101	-	51300

PART NUMBER CHANGES
OLD PART NUMBERS TO
NEW PART NUMBERS

OLD NO.	NEW NO.	OLD NO.	NEW NO.
709194	42121	709601	42026
709291	42095	709991	42129
709301	41973	715901	41895
709401	41974	741962	41962
709501	42022	741963	41963
709591	42112	768401	42055
709601	42026	768501	42056